UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/586,576	08/11/2008	Everhard Johan Muyzert	57.0597 US PCT	6173	
	37003 7590 07/01/2009 SCHLUMBERGER-DOLL RESEARCH			EXAMINER	
ATTN: INTELLECTUAL PROPERTY LAW DEPARTMENT P.O. BOX 425045			SAITO, KRYSTINE E		
	BRIDGE, MA 02142		ART UNIT	PAPER NUMBER	
			3663		
			MAIL DATE	DELIVERY MODE	
			07/01/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/586,576	MUYZERT ET AL.			
Office Action Summary	Examiner	Art Unit			
	Krystine Saito	3663			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w. - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	l. lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 19 Ju This action is FINAL . 2b) ☑ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-15 is/are pending in the application. 4a) Of the above claim(s) is/are withdrav 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-15 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 19 July 2006 is/are: a)	vn from consideration. r election requirement. r.	y the Examiner.			
Applicant may not request that any objection to the or Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Extended to be a supplemental to the control of the contr	ion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 02/13/2007.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te			

Application/Control Number: 10/586,576 Page 2

Art Unit: 3663

DETAILED ACTION

Claim Rejections - 35 USC § 101

1. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

- 2. Claim 14 is rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. The applicant is claiming subject matter which is directed to two different statutory classes of invention. A claim must be directed to only one statutory class of invention.
- 3. Claim 14 is rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. The applicant is claiming a method but does not recite any method steps. This is not a proper method claim. Method claims must include at least one step.
- 4. Claim 15 is rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. The claimed invention is not directed to a process, machine, manufacture, or a composition of matter. Data cannot be claimed.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 3663

6. Claims 1, 2, 3, 4, 10, 11, 13, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spackman (6853604) in view of Jubinski (4692907) and Norton (4912682).

Page 3

- 7. With regards to claim 1, Spackman teaches a marine cable (Col 3, lines 41-42) with a plurality of piezo-ceramic pressure sensors (Col 1, lines 50-53; Col 4, line 18), wherein said plurality of pressure sensors is arranged in groups of at least two pressure sensors (Col 4, lines 19, 45-49).
- 8. However, Spackman does not teach a group output being representative of the vertical pressure gradient at the group location, said system further comprising one or more electromechanical transducers to generate signals to generate a response indicative of the orientation of said at least two pressure sensors.
- 9. Jubinski teaches a group output being representative of the vertical pressure gradient (Col 3, lines 11-12). Spackman teaches sensing pressure variations. It would have been obvious based on the teachings of Jubinski that the pressure variations of Spackman could be a vertical pressure gradient. Furthermore it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Spackman with the vertical pressure gradient of Jubinski since such a modification would have made it easier to separate upgoing and downgoing wavefields and thus aid in deghosting seismic data.
- 10. Norton teaches one or more electromechanical transducers (Col 3, lines 62-63) to generate signals (Col 3, line 63) to generate a response indicative of the orientation of said at least two pressure sensors (Col 3, lines 60-61; Col 4, lines 5-7).

Art Unit: 3663

11. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Spackman with the orientation sensing system of Norton since such a modification would have provided orientation information essential

Page 4

to processing the seismic data.

- 12. Spackman further teaches the group comprises at least three hydrophones (Col 4, lines 19, 45-49); the at least two pressure sensors of a group are located in a plane perpendicular to the main or longitudinal axis of the cable (Fig 3: 34 the front-most sensors are in a plane perpendicular to the longitudinal axis, likewise the second two are also in a plane parallel to the first, also perpendicular to the longitudinal axis); the at least pressure sensors of a group are located in a plane perpendicular to the main or longitudinal axis of the cable and wherein an output of said group is combined with an output of a further hydrophone located outside said plane (Col 1, lines 50-59; Col 5, lines 40-58; Fig 3: 34 all 12 sensors from both top and bottom portions are combined, and the front-most sensors in a plans as described above and thus combined with a sensor outside of that plane, i.e. one of the second or third sensors).
- 13. Spackman does not teach the one or more electromechanical transducers are one or more acoustic or sonic sources; and the one or more electromechanical transducers are one or more acoustic sources located within cables towed in parallel with the cable carrying the groups of at least two hydrophones.
- 14. Norton teaches the one or more electromechanical transducers are one or more acoustic or sonic sources (Col 3, lines 54-55, 62); and the one or more electromechanical transducers are one or more acoustic sources located within cables

Art Unit: 3663

towed in parallel with the cable carrying the groups of at least two hydrophones (Col 4, lines 12-17; Figs 1 and 2).

- 15. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Spackman with the positioning transducers of Norton since such a modification would have provided an easy and efficient way to determine the orientations of the seismic streamer elements.
- 16. Claims 5 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spackman in view of Jubinski and Norton, and further in view of Robertsson (6791901).
- 17. Spackman as modified teaches the invention as discussed above. However it does not teach the group comprises four hydrophones in a tetrahedral configuration; and each pressure sensor of a group is arranged at essentially equal distance from the other sensors of the group.
- 18. Robertsson teaches four hydrophones (Col 1, line 63) in a tetrahedral configuration (Col 2, lines 5-9); and each pressure sensor of a group is arranged at essentially equal distance from the other sensors of the group (Fig 3).
- 19. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Spackman with the tetrahedral arrangement of Robertsson since such a modification would have provided superior seismic data for a selected volume.
- 20. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spackman in view of Jubinski and Norton, and further in view of Vinegar (2004/0211569).

Art Unit: 3663

21. Spackman as modified teaches the invention as discussed above. However, it does not teach the at least two pressure sensors contributing to the group output being representative of the vertical pressure gradient are located within a section the cable of less than 10 cm length as measured in the main or longitudinal direction of said cable.

Page 6

- 22. Vinegar teaches the at least two pressure sensors contributing to the group output being representative of the vertical pressure gradient are located within a section the cable of less than 10 cm length as measured in the main or longitudinal direction of said cable ([2639], lines 15-16).
- 23. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Spackman with the spacing of Vinegar since such a modification would have allowed for compact sensor packaging and for more sensors to be placed in a given cable.
- 24. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spackman in view of Jubinski and Norton, and further in view of Ozbek (6684160).
- 25. Spackman as modified teaches the invention as discussed above. However, it does not teach the pressure sensors of a group are connected to provide an output representative of a linear combination of individual sensor signals prior to digitization.
- 26. Ozbek teaches teach the pressure sensors of a group are connected to provide an output representative of a linear combination of individual sensor signals prior to digitization (Col 1, lines 47-50).

Art Unit: 3663

27. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Spackman with the sensor output combination of Ozbek since such a modification would have reduced noise.

Page 7

- 28. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spackman in view of Jubinski and Norton, and further in view of Bittleston (2005/0078554).
- 29. Spackman as modified teaches the invention as discussed above. However, it does not teach the one or more electromechanical transducers are a plurality of inclinometers distributed along the length of the cable.
- 30. Bittleston teaches the one or more electromechanical transducers are a plurality of inclinometers distributed along the length of the cable ([0027], lines 15-16).
- 31. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Spackman with the inclinometers of Bittleston since such a modification would have provided a good indication of roll angle.
- 32. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spackman in view of Jubinski and Norton, and further in view of Walden (5321333).
- 33. Spackman as modified teaches the invention as discussed above. However, it does not teach the one or more electromechanical transducers are adapted to operate independently of the hydrostatic pressure.
- 34. Walden teaches the one or more electromechanical transducers are adapted to operate independently of the hydrostatic pressure (Col 1, lines 63-65).

Application/Control Number: 10/586,576 Page 8

Art Unit: 3663

35. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Spackman with the transducers of Walden since such a modification would allow the transducers to operate independent of the depth of the streamers.

Conclusion

The prior art which is cited but not relied upon is considered pertinent to applicant's disclosure: 4712082, 6714138.

The references made herein are done so for the convenience of the applicant.

They are in no way intended to be limiting. The prior art should be considered in its entirety.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Krystine Saito whose telephone number is 571-270-7614. The examiner can normally be reached on Monday thru Thursday, 8am-5:30pm EST and alternate Fridays 8am-4:30pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Keith can be reached on 571-272-6878. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/586,576 Page 9

Art Unit: 3663

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/K. S./ Examiner, Art Unit 3663

> /Scott A. Hughes/ Examiner, Art Unit 3663